

# CONTENTS

## CELLULAR IMMUNOLOGY

- |   |     |   |
|---|-----|---|
| W. S. Walker  | 367 | Mediation of Macrophage Cytolytic and Phagocytic Activities by Antibodies of Different Classes and Class-Specific Fc-Receptors  |
| J. C. Hiserodt and G. A. Granger                    | 374 | Inhibition of Human Lymphocyte-Mediated Mitogen-Induced Cytotoxicity of Murine L-929 Cells by Heterologous Anti-human Lymphotoxin Antisera <i>in Vitro</i>  |
| D. B. Budzko, F. Kierszenbaum, and B. H. Waksman    | 381 | Cytotoxic Effects of Normal Sera on Lymphoid Cells. III. Selective Killing of Mouse T Cells by Normal Guinea Pig Serum  |
| J. W. Dyminski and R. T. Smith                      | 435 | Studies of the Mechanism by Which B Cells Permit Mixed Lymphocyte Reactions between Immunocompetent Thymus Cells  |
| W. Ptak, K. F. Naidorf, and R. K. Gershon           | 444 | Interference with the Transmission of T Cell-Derived Messages by Macrophage Membranes   |
| A. Weiss and F. W. Fitch                            | 510 | Macrophages Suppress CTL Generation in Rat Mixed Leukocyte Cultures   |
| K. E. Kempf and A. S. Rubin                         | 517 | Transient Suppression of the Humoral Immune Response Mediated by a Factor Derived from Specifically Activated, Doubly Primed Lymphoid Cells   |
| D. Gernsa, L. Steggemann, G. Till, and K. Resch     | 524 | Enhancement of the PGE <sub>1</sub> Response of Macrophages by Concanavalin A and Colchicine  |
| J. F. Urban, Jr., T. Ishizaka, and K. Ishizaka      | 583 | IgE Formation in the Rat following Infection with <i>Nippostrongylus brasiliensis</i> . III. Soluble Factor for the Generation of IgE-Bearing Lymphocytes   |
| M.-A. Bach  | 641 | Lymphocyte-Mediated Cytotoxicity: Effects of Ageing, Adult Thymectomy and Thymic Factor   |
| N. Chiorazzi, A. S. Tung, N. Eshhar, and D. H. Katz | 685 | Hapten-Specific IgE Antibody Responses in Mice. VIII. A Possible New Mechanism by Which Anti-Lymphocyte Serum Enhances IgE Antibody Synthesis <i>in Vivo</i>  |
| S. Cohen and T. Yoshida                             | 719 | Suppression of B Cell MIF Production by T Cells and Soluble T Cell-Derived Factors  |
| A. Sher and S. L. McIntyre                          | 722 | Receptors for C3 on Rat Peritoneal Mast Cells   |
| C. E. Grossi, P. M. Lydyard, and M. D. Cooper       | 749 | Ontogeny of B Cells in the Chicken. II. Changing Patterns of Cytoplasmic IgM Expression and of Modulation Requirements for Surface IgM by Anti- $\mu$ Antibodies  |
| B. A. Araneo, P. Marrack, and J. W. Kappler         | 765 | Functional Heterogeneity among the T-Derived Lymphocytes of the Mouse. VII. Conversion of T1 Cells to T2 Cells by Antigen   |
| H. B. Stamper, Jr. and J. J. Woodruff               | 772 | An <i>in Vitro</i> Model of Lymphocyte Homing. I. Characterization of the Interaction between Thoracic Duct Lymphocytes and Specialized High-Endothelial Venules of Lymph Nodes                         |
| U. M. Babu and E. Sabbadini                         | 781 | Regulation of Cell-Mediated Cytotoxicity. III. Synergism of Cortico-Resistant with Anti-thymocyte Serum-Resistant Splenic T Cells in the Generation of Cytotoxic Lymphocytes in Graft-vs-Host Reactions |

## CLINICAL IMMUNOLOGY

- |   |     |  |
|---|-----|--|
| D. N. Ilfeld, R. S. Krakauer, and R. M. Blaese            | 428 | Suppression of the Human Autologous Mixed Lymphocyte Reaction by Physiologic Concentrations of Hydrocortisone  |
| W. H. West, S. M. Payne, J. L. Weese, and R. B. Herberman | 548 | Human T Lymphocyte Subpopulations: Correlation between E-Rosette-Forming Affinity and Expression of the Fc Receptor  |
| S. Yachnin and E. P. Lester                               | 555 | Inhibition of Human Lymphocyte Transformation by Human $\alpha$ -Fetoprotein (HAFP); HAFP Monomers and Multimers and a Resistant Lymphocyte Subpopulation  |
| A. S. Fauci, K. R. Pratt, and G. Whalen                   | 598 | Activation of Human B Lymphocytes. IV. Regulatory Effects of Corticosteroids on the Triggering Signal in the Plaque-Forming Cell Response of Human Peripheral Blood B Lymphocytes to Polyclonal Activation |
| S. I. Rosenfeld, L. R. Weitkamp, and F. Ward              | 604 | Hereditary C5 Deficiency in Man: Genetic Linkage Studies   |

---

## IMMUNOCHEMISTRY

---

- |  |     |   |
|--|-----|---|
| W. Stohl and N. K. Gonatas   | 422 | Distribution of the Thy-1 Antigen in Cellular and Subcellular Fractions of Adult Mouse Brain  |
| M. E. Neiders, H. C. Morse III, A. R. Lawton III, and R. Asofsky   | 457 | Murine Plasma Cells Secreting More Than One Class of Immunoglobulin Heavy Chain. III. Immunoglobulin Production by Established Cultures and Cloned Lines of SAMM 368        |
| B. K. Borthistle, R. T. Kubo, W. R. Brown, and H. M. Grey          | 471 | Studies on Receptors for IgG on Epithelial Cells of the Rat Intestine   |
| G. W. Miller   | 488 | Complement-Mediated Dissociation of Antibody from Immobilized Antigen   |
| R. J. Scibienski and M. E. Gershwin                                | 504 | Immunologic Properties of Protein-Lipopolysaccharide Complexes. I. Antibody Response of Normal, Thymectomized, and Nude Mice to a Lysozyme-Lipopolysaccharide Complex       |
| M. Naiki and D. M. Marcus  | 537 | Binding of <i>N</i> -Acetylgalactosamine-Containing Compounds by a Human IgM Paraprotein  |
| T. E. Michaelsen, B. Frangione, and E. C. Franklin                 | 558 | The Amino Acid Sequence of a Human Immunoglobulin G3m(g) pFc' Fragment  |
| L.-S. Wang, K. T. Grzyb, and B. Freidenson                         | 576 | A Possible Difference in the Heterogeneity of the Heavy and Light Chains from a Rabbit Anti-P-Azobenzoate Antibody Preparation  |
| W. T. Shearer, C. Gottlieb, and S. Kornfeld                        | 614 | Humoral Immunostimulation. VII. Sialic Acid Masks Antigenic Sites on an Antibody-Selected Variant Cell Line   |
| C. J. Rosenthal and E. C. Franklin                                 | 630 | Serum Amyloid A (SAA) Protein-Interaction with Itself and Serum Albumin   |
| Y. Levo, B. Recht, T. Michaelson, E. C. Franklin, and B. Frangione | 635 | The Interaction of Immunoglobulin Heavy and Light Chains in the Absence of the V <sub>H</sub> Domain  |
| S. M. Shiigi, R. R. Capwell, K. H. Grabstein, and R. I. Mishell    | 679 | Sera and the <i>in Vitro</i> Induction of Immune Responses. III. Adjuvant Obtained from Gliding Bacteria with Properties Distinct from Enteric Bacterial Lipopolysaccharide |

---

## IMMUNOGENETICS AND TRANSPLANTATION

---

- |  |     |   |
|--|-----|---|
| M. E. Kamarck and P. D. Gottlieb           | 407 | Expression of Thymocyte Surface Alloantigens in the Fetal Mouse Thymus <i>in Vivo</i> and in Organ Culture  |
| J. H. Freed and S. G. Nathenson            | 477 | Similarity of the Carbohydrate Structures of H-2 and Ia Glycoproteins   |
| G. Cudkowicz and Y. P. Yung                | 483 | Abrogation of Resistance to Foreign Bone Marrow Grafts by Carrageenans. I. Studies with the Anti-macrophage Agent Seakem Carrageenan  |
| G. S. David and C. M. Wiglesworth          | 500 | Target Cell-Substratum Interaction. II. Complement-Dependent Antibody-Induced Inhibition of Adherence   |
| V. Kermani-Arab and G. A. Leslie           | 530 | Suppression of Immunoglobulin Synthesis by Transplantation of T Cells from Anti- $\mu$ Bursectomized Chickens into Normal Recipients  |
| G. E. Connell and S. Dubiski               | 540 | Allotype Suppression in Rabbits: The Requirement for CH3 Domain of Anti-allotype Antibody   |
| E. Lotzová                                 | 543 | Induction of Unresponsiveness to Bone Marrow Grafts   |
| L. Flaherty, K. Sullivan, and D. Zimmerman | 571 | The <i>T/a</i> Locus: A New Allele and Antigenic Specificity  |
| B. J. Skidmore and D. H. Katz              | 694 | Haplotype Preference in Lymphocyte Differentiation. I. Development of Haplotype-Specific Helper and Suppressor Activities in F <sub>1</sub> Hybrid-Activated T Cell Populations |
| C. Henry and E. L. Chan                    | 737 | Expression and Function of I Region Determinants on Immunocompetent Cells. I. Selective Expression of I-C Region Determinants on Immune Cells                                   |
| C. Henry, E. L. Chan, and D. Kodlin        | 744 | Expression and Function of I Region Products on Immunocompetent Cells. II. I-C Region Products in T-B Interaction   |

---

## IMMUNOPATHOLOGY

---

- |  |     |                               |
|--|-----|-------------------------------|
| P. A. Ward, E. R. Unanue, S. J. Goralnick, and G. F. Schreiner | 416 | Chemotaxis of Rat Lymphocytes |
|--|-----|-------------------------------|

Continued on page 12

Continued from page 3

G. E. Hatch, W. K. Nichols, and H. R. Hill	450	Cyclic Nucleotide Changes in Human Neutrophils Induced by Chemoattractants and Chemotactic Modulators
B. A. Jakschik, A. Kulczycki, Jr., H. H. MacDonald, and C. W. Parker	618	Release of Slow Reacting Substance (SRS) from Rat Basophilic Leukemia (RBL-1) Cells
T. W. Williams, J. M. Lyons, and A. I. Braude	671	<i>In Vitro</i> Lysis of Target Cells by Rat Polymorphonuclear Leukocytes Isolated from Acute Pyelonephritic Exudates
P. W. Burridge, V. Paetkau, and J. F. Henderson	675	Studies of the Relationship between Adenosine Deaminase and Immune Function
R. Tarrab-Hazdai, O. Abramsky, and S. Fuchs	702	Immunosuppression of Experimental Autoimmune Myasthenia Gravis by Azathioprine. II. Evaluation of Immunologic Mechanism

---

## TUMOR IMMUNOLOGY

---

R. Levy and J. Dilley	387	The <i>in Vitro</i> Antibody Response to Cell Surface Antigens. I. The Xenogeneic Response to Human Leukemia Cells
R. Levy and J. Dilley	394	The <i>in Vitro</i> Antibody Response to Cell Surface Antigens. II. Monoclonal Antibodies to Human Leukemia Cells
N. H. Pazminño, R. N. McEwan, and J. N. Ihle	494	Distribution of Terminal Deoxynucleotidyl Transferase in Bovine Serum Albumin Gradient-Fractionated Thymocytes and Bone Marrow Cells of Normal and Leukemic Mice
G. Y. Gillespie, C. B. Hansen, R. G. Hoskins, and S. W. Russell	564	Inflammatory Cells in Solid Murine Neoplasms. IV. Cytolytic T Lymphocytes Isolated from Regressing or Progressing Moloney Sarcomas
F. Plata and C. V. Jongeneel	623	Characterization of Effector Lymphocytes Associated with Immunity to Murine Sarcoma Virus (MSV)-Induced Tumors. II. Repeated Stimulation and Proliferation <i>in Vitro</i> of Specific Cytolytic T Lymphocytes
E. A. Clark, R. C. Harmon, and L. S. Wicker	648	Resistance of H-2 Heterozygous Mice to Parental Tumors. II. Characterization of <i>Hh-1</i> -Controlled Hybrid Resistance to Syngeneic Fibrosarcomas and the EL-4 Lymphoma
A. N. Theofilopoulos, B. S. Andrews, M. M. Urist, D. L. Morton, and F. J. Dixon	657	The Nature of Immune Complexes in Human Cancer Sera
J. P. Leung, Y. Eshdat, and V. T. Marchesi	664	Colonic Tumor Membrane-Associated Glycoprotein: Isolation of Antigenically-Active Peptides after Chemical Cleavage
M. A. Cheever, R. A. Kempf, and A. Fefer	714	Tumor Neutralization, Immunotherapy, and Chemoimmunotherapy of a Friend Leukemia with Cells Secondarily Sensitized <i>in Vitro</i>
S. A. Huber and Z. J. Lucas	726	Immune Response to a Mammary Adenocarcinoma. IV. Blocking of Cell-Mediated Cytolysis by Immunoglobulins Binding to Immune Lymphocytes
M. I. Greene, S. Fujimoto, and A. H. Sehon	757	Regulation of the Immune Response to Tumor Antigens. III. Characterization of Thymic Suppressor Factor(s) Produced by Tumor-Bearing Hosts

---

## VIRAL AND MICROBIAL IMMUNOLOGY

---

C. K. Grant, D. J. DeBoer, M. Essex, M. B. Worley, and J. Higgins	401	Antibodies from Healthy Cats Exposed to Feline Leukemia Virus Lyse Feline Lymphoma Cells Slowly with Cat Complement
M. Gottlieb	465	A Carbohydrate-Containing Antigen from <i>Trypanosoma cruzi</i> and Its Detection in the Circulation of Infected Mice
C. Y. Wong, J. J. Woodruff, and J. F. Woodruff	591	Generation of Cytotoxic T Lymphocytes during Coxsackievirus B-3 Infection. III. Role of Sex
C. Tagesson, K.-E. Magnusson, and O. Stendahl	609	Physicochemical Consequences of Opsonization: Perturbation of Liposomal Membranes by <i>Salmonella typhimurium</i> 395 MS Opsonized with IgG Antibodies
B. Klein, C. Hill, and P. E. Hoffsten	707	Studies of the Immunoglobulin Eluted from the Glomeruli of Mice Chronically Infected with Lymphocytic Choriomeningitis Virus