

Bionetics does it for you.

Fluorescein and Rhodamine Conjugated Specific Antibodies (FluorAbody® Reagents)

Anti-Human Anti-Animal Species

Fluorescein and Rhodamine conjugated specific antibodies have been prepared for certain classes or combinations of human plasma proteins and animal immune globulins.

FluorAbody® reagents are Specific Antibodies produced by Solid Phase Immunoabsorption techniques and labeled with fluorescein (FITC) or rhodamine (RITC) isothiocyanate. The fluorochrome to antibody (protein) ratios are expressed as microgram FITC or RITC per milligram antibody (protein) as well as mole FITC per mole antibody.

Unlike most commercial conjugation processes which label the entire gamma globulin fraction, the procedure used to prepare these products labels only the Specific Antibody fraction of the gamma globulin. The result is a much higher level of specificity. The absence of extraneous labeled protein so significantly reduces the background that the necessity for counter-staining is eliminated.

Uses:

- Direct Staining Systems
- Indirect Staining Systems

These reagents are for research use only and are not for use in humans, nor for diagnostic or therapeutic use.

Please write for our current Price List and Catalog.



BIONETICS™
Laboratory Products

5516 Nicholson Lane, Kensington, Maryland 20795 / Telephone: (301) 881-1557

THE JOURNAL OF IMMUNOLOGY®

INFORMATION FOR CONTRIBUTORS

Manuscripts should be sent to:

Dr. Joseph D. Feldman
Department of Immunopathology
Scripps Clinic and Research Foundation
La Jolla, California 92037

If and when the manuscript is published, it will become the sole property of The Journal and all copyright will be taken out in the name of The Williams & Wilkins Company, and all rights in copyright reserved to The Williams & Wilkins Company.

Contributions may be short or long; the length should be commensurate with the scientific content. The chief criteria for acceptance are quality, originality, and clarity.

INSTRUCTIONS FOR PREPARATION OF MANUSCRIPT

The *original and two (2) copies* of the manuscript, including references, legends, figures and illustrations must be submitted. The text and all other material, e.g., footnotes, references, and acknowledgments, must be typed in double space (at least $\frac{3}{16}$ -inch or 5-mm spacing from the bottom of one line to the top of a capital of a succeeding line) on one side of $8\frac{1}{2}$ inch x 11 inch paper of good quality. The two (2) copies may be legible carbon or mimeographed copies or photocopies.

A short title to be used as a running head (not more than 50 characters) should be typed alone on the first page. Type the complete title on the second page, and the authors' full names (first name, middle initial(s), surname) and affiliations on the third page. *The format of The Journal must be followed by typing the text and the list of references.* References will be numbered as they appear in the text and will be listed in the format:

1. Kindt, T. J., and W. J. Mandy. 1972. Recombination of genes coding for constant and variable regions of immunoglobulin heavy chains. *J. Immunol.* 108: 1110.

Only papers that have been accepted for publication should be listed in the references (i.e., articles that are already paginated or in press). Manuscripts in preparation, unpublished observations, and personal communications should be referred to as such in text; completed manuscripts that have been submitted for publication may be cited as a footnote to the text. If such information is in press when the author receives his galley proofs he may make appropriate citations in the text at that time.

All material to be set in a type size different from that of the text, such as tables, case histories, quotations, formulas, legends for figures and illustrations, footnotes, and references *must be typed on separate pages.* If abbreviations are to be used in the paper, the abbreviations and their meanings should be typed double spaced, in one paragraph, on a separate sheet. Legends should not be attached to or written on figures or illustrations and must be typed double spaced. The position of tables and figures in the text may be indicated on the page margin.

List all components of culture medium used in experiments so that sufficient data to reproduce reported re-

sults are available. This information may be supplied in the Abbreviations footnote, in a table listing all components, by referring to a published article containing the information, or by identifying the commercial source which supplies the specific medium if components are listed by the supplier.

Illustrations and Photomicrographs. Photographs of figures and other illustrative material *must be on glossy paper (in triplicate)*; they must be clearly marked on the reverse side with the number, author's name, and orientation (top) and should be unmounted. Graphs should be in black ink on unlined or bluelined paper. If graphs exceed 9 x 12 inches in size, they must be accompanied by glossy photographic reproductions within that size.

For photomicrographs a better grade of paper may be used at additional cost, up to \$100.00 for a single page. Estimates can be obtained when the manuscript is submitted for publication. Estimates for color photomicrographs are also available.

Communications. Short papers, at the author's request, may be printed in the Communications section of The Journal. These papers should not exceed two (2) printed pages in length, including summary, references, tables and figures. The text of a full printed page contains about 1000 words. If accepted, their publication will be accelerated, usually within two (2) months of acceptance. Suitability for publication will be judged on the basis of timeliness, novelty, and importance by the usual refereeing procedure.

Letters to the Editor. Letters, which will be printed at the Editor's discretion, are responses to articles that have been published in *The Journal of Immunology* and should relate to scientific matters.

Opinion. This is an invited brief summary and commentary of a controversial subject of broad interest to immunologists.

Workshops. The *Journal of Immunology* will publish abstracts of workshops that have been refereed by program committees of the workshops. These will be accepted if each abstract is prepared for photocopy, i.e., typed single spaced on a separate page. Charges will be the full cost of each printed page.

MANUSCRIPTS THAT DO NOT CONFORM TO THESE SPECIFICATIONS MAY NOT BE ACCEPTED, AT THE EDITOR'S DISCRETION.

Page Charges. Authors will be charged \$30.00 for each printed page of an article or a Communication. All manuscripts, if accepted, will be published only after commitment by the author(s) or financial officer of their institution to pay a charge of \$30.00 per published page. Under exceptional circumstances, page charges will be waived if deemed appropriate by an adjudicating member of the Editorial Board.

Reprints. Reprints must be ordered in advance. A form showing the cost of reprints, together with an order slip, is sent with the galley proof. No more than 1000 reprints of any article may be purchased. The invoice for reprints will include the charges for pages.

In ion exchange chromatography,

who has it all?




Pharmacia has it all... ion exchangers, gradient mixer, columns

Since no single ion exchanger is best for all applications, Pharmacia now enables you to choose between three matrices: Sepharose® (cross-linked agarose), Sephadex® (cross-linked dextran), and now Sephacel® (cross-linked cellulose). Although they have different properties, they are all beaded to pack easily without generating fines.

Pharmacia also makes available the Gradient Mixer GM-1 for producing linear concentration gradients as well as reproducible pH gradients. Choose from a broad range of precisely engineered chromatographic columns for every application.

Pharmacia Fine Chemicals
Division of Pharmacia Inc.
Piscataway, New Jersey 08854

 **Pharmacia
Fine Chemicals**

If it isn't a Napco® you may be reading the temperature in the water jacket ...not the chamber.



The Napco 7000 series are the only water jacketed automatic CO₂ incubator that actually tells you the temperature of the chamber, where your important experiment is taking place.

All other water jacketed automatic CO₂ incubators read the *temperature of the water*, not the chamber environment. If your research is temperature sensitive, reading the exact temperature of the

chamber is critical.

For accuracy and reliability, insist on the Napco 7000 models. They are the most advanced incubators on the market. Available in single or space saving vertical models. There's much more. Write for brochure.

If you should ever have an equipment breakdown...

a Heinicke/Napco Minute Man will be on his way to you in 48 hours.

You'll seldom need the Minute Man service, because Heinicke and Napco instruments are built to work. But if you do, dial toll-free 800-327-9783.

Napco® water jacketed automatic CO₂ incubator.
U.S. patent # 3848569



National Appliance Company

A Heinicke Company
3000 Taft Street
Hollywood, FL 33021
800-327-9783 or
(305) 987-6101

Available at the following dealers:

Curtin-Matheson
Fisher Scientific Co.
Preiser
Sargent-Welch
S.G.A. Scientific
Scientific Products
Arthur H. Thomas Co.
VWR

In Canada:
Canlab
Fisher Scientific Co. Ltd.
Sargent-Welch of Canada Ltd.



Advances in Immunology

VOLUME 27

Edited by FRANK J. DIXON and HENRY G. KUNKEL

CONTENTS: *J. Lindstrom*, Autoimmune Response to Acetylcholine Receptors in Myasthenia Gravis and Its Animal Model. *R. M. Zinkernagel and P. C. Doherty*, MHC-Restricted Cytotoxic T Cells: Studies on the Biological Role of Polymorphic Major Transplantation Antigens, Determining T-Cell Restriction-Specificity Function and Responsiveness. *I. F. C. McKenzie and T. Potter*, Murine Lymphocyte Surface Antigens. *P. F. Weller and E. J. Goetzel*, The Regulatory and Effector Roles of Eosinophils. Subject Index. References are included at the end of each chapter.

1979, 400 pp., \$29.50 ISBN: 0-12-022427-5

Immune Mechanisms and Disease

Edited by D. BERNARD AMOS, ROBERT S. SCHWARTZ and BERNARD W. JANICKI


Proceedings of a conference on "The Interface Between Immune Mechanisms and Disease", held at Brook Lodge, Augusta, Michigan, December 12-14, 1977

Most infections can be prevented by some form of immunization or treated with antibiotics. Others cannot and some diseases are becoming resistant to treatment. This book describes the functioning of the immune system and its attempts to deal with such diseases as syphilis and parasitic infections, the steps being taken to modify immunity to make it more effective and the relationship between HLA and disease.

SECTION HEADINGS: Immunologic Mechanisms. Immunogenetics and Escape Mechanisms. Immunopathology I. Immunopathology II. Therapeutic Manipulation. Workshop.

1979, 398 pp., \$22.00 ISBN: 0-12-055850-5


Send payment with order and save postage and handling charge.
Prices are subject to change without notice.



Academic Press, Inc.

A Subsidiary of Harcourt Brace Jovanovich, Publishers
111 FIFTH AVENUE, NEW YORK, N.Y. 10003
24-28 OVAL ROAD, LONDON NW1 7DX

A NEW DIMENSION ADDED TO CELLULAR RESEARCH: MONOCLONAL ANTI-THY 1.2 FOR IDENTIFICATION, LOCATION, AND ISOLATION OF MOUSE T-CELL LYMPHOCYTES.



Typical cytotoxic activity of NEN Anti-Thy 1.2 antibody and conventional Anti-Thy 1.2 antiserum on ⁵¹Cr-labeled A/J thymocytes and A. Thy 1.1 thymocytes. (Antibody dilutions were each incubated with guinea pig complement and 1.25×10^6 ⁵¹Cr-labeled thymocytes).

New England Nuclear, the world's leading manufacturer of radioactive chemicals for research, presents a new tool for immunological studies of cellular systems. It is an extraordinarily specific antibody with greatly increased affinity for cell surface antigen, useable at titers of $1:10^6$ in an efficient and rapid technique.

Anti-Thy 1.2 is available from New England Nuclear in two concentrations: as ~1mg immunoglobulin (Cat. No. NEI-001) or ~0.1mg immunoglobulin (Cat. No. NEI-001A), both supplied in 1ml of buffer solution. For prices and further information, please return the coupon or call toll free **800-225-1572**.

NEN New England Nuclear

549 Albany Street, Boston, Mass. 02118
Call toll-free: 800-225-1572
(In Massachusetts and International: 617-482-9595)

NEN Chemicals GmbH: D-6072 Dreieich, W. Germany, Postfach 401240.
Telephone: (06103) 85034, Telex: 4-17993 NEN D
NEN Canada Ltd., 2453 46th Avenue, Lachine, Que. H8T 3C9,
Telephone: 514-636-4971, Telex: 05-821808

Not for use in humans or clinical diagnosis.

Please send prices and complete information on Anti-Thy 1.2

Name _____

Institution _____

Address _____

_____ Zip _____

Tel. No. _____

Mail to:


New England Nuclear
549 Albany Street
Boston, Massachusetts 02118

Should your photometer We're inclined to

Why are most photometers built to read horizontally?

We can't think of one good reason! But, we can think of a lot of good reasons why a vertical photometer—specifically our new **Titertek® Multiskan Microplate Reader**—outperforms any horizontal unit on the market.

Vertical vs Horizontal



Dilution Error	NO	YES
Evaporation Error	NO	YES
Layering Error	NO	YES
Light Distortion	MINIMAL	SIGNIFICANTLY GREATER
Speed	RAPID READING	SLOWER READING

The **Titertek Multiskan** vertical photometer achieves its distinct advantage because the


focused beam of light:

- passes through only one container wall
- traverses the entire sample
- requires minimal sample volume (as little as 100 microliters)
- reads 96 samples in less than a minute

The Multiskan Breakthrough

Multiskan incorporates current state-of-the-art microprocessor circuitry to provide you with an instrument that can read 96 samples precisely and quickly.

Multiskan is simplicity in itself. Pipette 1 to 96 samples (as little as 100 microliters) into a standard polystyrene, flat bottom microtitration plate. Load the plate into the carrier, push the activate button and step back. In less than 60 seconds, you will receive a hard copy print out of your results. It's that simple!



*We refer you to the findings of Drs. Eisenwiener and Keller, CLIN. CHEM. 25/1, 117-121 (1979).

read samples horizontally? think differently*

Multiskan makes light work of EIA (Enzyme-Linked Immunoassay) and other applications

Multiskan is designed to operate in either of two measurement modes. The quantitative Absorbance Mode, is perfectly suited to reading enzyme-linked immunoassays (EIA) and various tests in clinical chemistry. The qualitative Matrix

Mode, effectively flags positives for EIA and MIC studies, cytotoxicity assays and other applications currently under study.

If you are inclined to believe we have developed a better method of photometry, contact Flow Laboratories. If you are still wavering, let us send you our complete literature package on the new **Titertek Multiskan Microplate Reader**. We think you will also be inclined to agree with us.



Flow Laboratories, Inc.

Subsidiary of Flow General Inc.


7655 Old Springhouse Road/McLean, Virginia 22102
(703) 893-5925 **Toll Free number: (800) 336-0424**

936 West Hyde Park Blvd./Inglewood, California 90302
(213) 674-2700

1625 Sismet Road, Unit #10/Mississauga,
Ontario/Canada L4W 1V6 (416) 624-0740

Made for Flow Laboratories by Eflab, Oy Helsinki, Finland

Titertek and Flow Laboratories are trademarks of Flow Laboratories, Inc.



Pharmacia Agarose

- an agarose for all occasions

Type A — medium electroendosmosis for electrophoresis and most immunological techniques.

Type B — high electroendosmosis for counter immunoelectrophoresis and diffusion techniques.

Type C — low electroendosmosis for crossed immunoelectrophoresis.

High quality and strict quality control for minimum batch-to-batch variations.

**What ever your application
Pharmacia Fine Chemicals
has an agarose for you.**

Pharmacia Fine Chemicals
Division of Pharmacia, Inc.
Piscataway, New Jersey 08854
Phone (201) 469-1222



See us at the Cell Biology Convention

107

*for prompt
subscription
service...*

attach label here

Please use this coupon and attach a *recent* label in the space provided when writing to us about:

- change of address
- renewal
- questions regarding your subscription

Please use the space below to indicate your *new* address.

Name of Journal _____

Name _____

Address _____

City/State/Zip _____

THE WILLIAMS & WILKINS COMPANY

428 East Preston Street/Baltimore, Maryland 21202



One of the reasons why you get best value in guinea pigs from Camm

CAMM guinea pigs are bred and developed under carefully controlled environmental conditions. Holding rooms are equipped with HEPA filters to deliver clean air to the animals.

Strict sanitary animal husbandry safeguards are employed and animals are monitored microbiologically and histologically.

That's why CAMM guinea pigs will arrive in a healthy, alert condition ready for your biomedical

research, tests and experiments in Bacteriology, Endocrinology, Immunology, Nutrition, Virology and Pharmacology.

You can choose from seven different strains of CAMM-Hartley-derived or English short hairs. Shipment can be within 24-48 hours.


Write CAMM at 414 Black Oak Ridge Road, Wayne, New Jersey, 07470 or phone (201) 694-0703 for details and prices.

CAMM Guinea Pigs

to meet your requirements in quality lab animals

Order your copy on
20-day FREE trial!

JUST
PUBLISHED



*As an introduction or review,
this new work stands alone...*

TEXTBOOK OF IMMUNOLOGY

By Baruj Benacerraf, MD and Emil R. Unanue, MD, both of Harvard University School of Medicine

Whether you're a student, teacher, resident, immunologist, or specialist in some other field, if you need an excellent introduction or review of immunology, this new book is your best choice.

Written by two of this country's leading immunologists, **Textbook of Immunology** was developed from lectures given at the Harvard School of Medicine and is designed to follow the standard lecture course in immunology for all health-science curriculums.

This concise, yet surprisingly comprehensive text covers all aspects of immunology including basic phenomena, structure and function of antibodies, description of lymphoid cells, and analysis of immunopathology. All the material is complete and up-to-date to provide the reader with a basic yet in-depth understanding of immunology. ... **Textbook of Immunology** stands alone as

a guide to this rapidly expanding and complex discipline.

Order your copy today on 20-day FREE trial by sending the order form below or calling the Williams & Wilkins toll-free number!

Contents: Immunology: principles and phenomenology. Antigens. Antibodies and their functions. Methods of the immunologist. The cellular basis of immunology. Cellular immunity and delayed hypersensitivity. Transplantation biology. Regulation of immunity by T lymphocytes. Immunological tolerance. Immunogenetics. Tumor immunology. The classical and alternative complement sequence. Immunopathology. Immediate hypersensitivity reactions and anaphylaxis. Immunodeficiency diseases. Glossary. Index.

1979/292 pages/51 illustrations/\$10.95

Please send me _____ copy(ies) of **Textbook of Immunology** (0527-8) at \$10.95 each on 20-day FREE trial (if not fully satisfied, return the book within 20 days and pay nothing).

name _____

address _____

city _____

state _____

zip code _____

☐ check enclosed

☐ bill me

Save postage and handling by enclosing payment with order. Maryland residents please add 5% sales tax. Price subject to change without notice.

CREDIT CARD PURCHASE (Check one)

☐ VISA

☐ Master Charge

card # _____

expiration date _____

TOLL-FREE TELEPHONE ORDERING (9 am to 4 pm)

For ordering with or without charge card, call 1-800-638-0672.

Maryland residents call collect: 528-4221.

Williams & Wilkins

Dept. 291

P.O. Box 1496

Baltimore, MD 21203



VECTOR LABORATORIES, INC.

INTRODUCES

BIOTINYL – **LECTINS** Biotinyl – **ANTIBODY**

FOR USE IN THE HIGHLY-SPECIFIC, ULTRA-SENSITIVE

BIOTIN/AVIDIN SYSTEM

A NEW SANDWICH TECHNIQUE

PRINCIPLE: Avidin, a 68,000 molecular weight glycoprotein found in eggs, has an extraordinary affinity* for the small molecular weight vitamin, Biotin. Coupling Biotin to any protein gives that protein the ability to bind Avidin. Avidin conjugated with Ferritin, Fluorescein, Rhodamine or Horseradish Peroxidase can be used to localize Biotinyl-Antibody or Biotinyl-Lectins after they have bound to their receptors.

**Over one million times higher than most antigen-antibody interactions.*

THE BIOTIN/AVIDIN SYSTEM has several advantages over direct coupling of the marker to antibody.

- Improved Sensitivity
- Reduced non-specific binding
- Elimination of steric hindrance problems
- Instantaneous complex formation
- High complex stability
- Simultaneous use of several markers
- Biological processes unaffected
- Wide applicability

[BAS] REAGENTS INCLUDE:

Biotinyl-Anti-immunoglobulin antibody
Biotinyl-Lectins
Fluorescein-Avidin
Rhodamine-Avidin
Horseradish Peroxidase-Avidin
Ferritin-Avidin
Agarose-Bound Avidin

These **[BAS]** Reagents are available individually or in kit form.

INQUIRE ABOUT OUR CUSTOM BIOTINYLATION SERVICE.

For further information and a catalog of **[BAS]** Reagents and over 100 Lectins and related Biochemicals, please phone or write:

VECTOR LABORATORIES, INC.
1479 ROLLINS ROAD
BURLINGAME, CALIFORNIA 94010
(415) 348-3737

Be an aggressive buyer

COSTAR DISPOSABLE LABWARE: Good ideas and high quality combined. Precision molded and radiation sterilized. New STRIPETTE™ pipettes in three sizes. Flasks, dishes, and cluster plates are highly polished and distortion-free, with frosted labeling surfaces where useful. All are subjected to our tough Q.C. screening.





Cluster Plates: Every well numbered so you work quickly and accurately. And rimmed so media stays where it belongs. Plus non-reversible covers with built-in condensation rings to prevent cross-contamination.

Rectangular Flasks: Deep skirted, easy on/off caps. Graduated media markers for accurate filling without using a pipette. Frosted labeling surfaces.


Triangular Flasks: Sloping shoulders and extra-wide necks let you reach every square centimeter—even the upper corners. Frosted labeling surfaces.

Leighton Tube: The first disposable plastic one for your basic tissue culture needs and E.M. Non-slip handle for the cover slip. Slide is scribed across the middle with each half numbered. Treated cover slip,

un helps prevent unwanted cell attachment.



Catalog No. 3160
60x15mm
(2mm Grid)



Catalog No. 3150
150cm²(650ml)



Catalog No. 3075
75cm²(250ml)



Catalog No. 3025
25cm²(30ml)



Leighton Tube
Catalog No. 3393
93x16mm
Tube with 5cm²
Cover Slip

...We'll be ready.

Dishes: Three sizes

plus
a 2mm
grid ver-
sion and our
108-well Cuprak
dish.


Catalog
No. 3275
75cm² (275ml)

Catalog
No. 3050
25cm² (50ml)

Catalog No. 3100
100x20mm (55cm²)

Catalog
No. 3035
35x10mm
(8cm²)

Catalog No. 3060
60x15mm (21cm²)



Catalog
No. 3268
108 Wells
in 6 Sizes



STRIPETTE Pipettes:

The unique color stripe,
magnified by the reagent, lets you
see the level easier and measure
more accurately. Different colors
for different sizes—1ml, 5ml, 10ml.
Plugged.

Free Samples: See for
yourself that we really mean
quality. Call or write for what
you haven't tried already
(especially some
STRIPETTES). Then let's
get down to the name of
your nearest dealer and
that aggressive buying
we mentioned earlier.

costar

COSTAR
Disposable Labware
with Keepable Ideas
205 Broadway
Cambridge, MA 02139
Phone (617) 492-1110
TWX: 710 320-0885





...consistent quality at
a reasonable price!

A PARTIAL LISTING

FLUORESCIN CONJUGATED IMMUNOGLOBULIN FRACTIONS

IgG	C-4 (β 1E)
IgA	C1q
IgM	Polyvalent
IgE	Kappa
C-3 (β 1C/ β 1A)	Lambda
Fibrinogen	C-3 (β 1C only)
Properdin	IgD
Fab Fragment (F_D , kappa, lambda)	

PEROXIDASE CONJUGATED ANTIBODIES

IgG	IgG, H & L chain
IgA	Goat IgG, H & L chain
IgM	Rabbit IgG, H & L chain
Peroxidase Anti Peroxidase soluble complex	
Anti Peroxidase IgG fraction	

ANTISERA TO HUMAN PROTEINS

C-3 Proactivator	
Properdin	C-1 _q
C-4 (β 1E)	C-3 (β 1C only)
C-5 (β 1F)	C-3 _b Inactivator

RADIAL IMMUNODIFFUSION PLATES


Call or write for complete listing and special pricing

KENT LABORATORIES
23404 N.E. 8th
REDMOND, WASH. 98052
(206) 885-9005

Help us to serve you better.....

If your mailing label does not contain your zip code, note it on the label and return it to us for correction.

Remember, your Zip Code provides faster, more direct delivery of your journals. Use it on all correspondence, too.



**AVAILABLE
FOR THE
FIRST
TIME!**

Anti-Human Fibronectin
**(Cold-Insoluble Globulin,
LETS Protein)**

MADE IN GOAT OR RABBIT

Available as Anti-Serum, IgG fraction,
F(ab')₂ fragments, Fluorescein, Rhodamine,
Peroxidase and Ferritin Conjugates.



Specialists in Fluorescein, Rhodamine,
Ferritin, Peroxidase and Custom Conjugations
and of Conjugated F(ab')₂ Fragments or
Fab Fragments of Antiserums.

Cappel Laboratories, Inc.

Cochranville, PA 19330

Phone: (215) 593-6914

Toll Free: (800) 523-7620

Peak quality in chromatography!



Pharmacia Columns are designed to exploit to the full the separation properties of your bed material.


- High resolution
- Ease of performance and maintenance
- Inertness
- Aqueous or solvent work
- Low or medium pressure
- Fast and easy sample application
- Reversed flow and recycling
- Compatible with a wide range of accessories for systems building
- Reliability

The quality of your work deserves the quality of Pharmacia Columns.

Ask for our free Catalogue and choose from the wide range of Pharmacia Columns.

There is one to suit your application.

Pharmacia Fine Chemicals
Division of Pharmacia, Inc.
Piscataway, New Jersey 08854
Phone (201) 469-1222

 **Pharmacia
Fine Chemicals**


Melloni's Illustrated Medical Dictionary

Just published —
the
ideal medical
reference for

- office
- lab
- clinic
- library

Color highlights

Outstanding illustrations



Clear, concise definitions

Numerous tables and charts

For the person whose job requires knowledge of health science terminology, **Melloni's** is the reference to turn to. Medical words, definitions, concepts — all are explained clearly and quickly in a unique visual format. Readers get a concise and rapidly comprehended store of knowledge. Retention is improved, too, because with **Melloni's** they're not just reading a definition, they're seeing it!

One reviewer said,

"If a dictionary could ever get on a best seller list, Melloni's should! Readable, interesting format, beautiful illustrations — highly recommended!"

Order
today!

1979/532 pages/27,085 entries/2,537 illustrations/\$16.50



Williams & Wilkins

Publishers of medical and scientific books for 80 years.

Yes, please send me _____ copy(ies) of the exciting new MELLONI'S ILLUSTRATED MEDICAL DICTIONARY at \$16.50 each, on 20-day approval. (If purchased in Maryland, please add 5% sales tax.)

Name _____

Library _____

Address _____

City _____

State _____

Zip _____

☐ check enclosed ☐ bill me ☐ VISA ☐ MASTER CHARGE

TOLL-FREE TELEPHONE ORDERING: call 1-800-638-0672.


In Maryland call collect: 528-4221.

**Williams
& Wilkins**

Dept. 280 P.O. Box 1496 Baltimore, Maryland 21202

18 years old —
and already a classic!

NOW—A NEW EDITION



Third American Edition BURCKHARDT'S ATLAS AND MANUAL OF DERMATOLOGY AND VENEREOLOGY

Edited by Peter J. Lynch, MD, Professor and Chief, Division of Dermatology, University of Arizona College of Medicine; and Stephan Epstein, MD, Clinical Professor of Dermatology, University of Wisconsin School of Medicine

Very simply, *Burckhardt's Atlas* is the best illustrated overview of disorders commonly seen by the dermatologist. This volume so comprehensively meets the need for a visual presentation of cutaneous disorders that it has stood as the leading dermatologic reference of its kind since 1959. Now available in a new third edition, *Burckhardt's* continues to be unequalled in the quality of its 111 color plates and the detail of its text.

Burckhardt's Atlas and Manual of Dermatology and Venereology is the one reference volume that is both current and concise—the qualities most needed in a book that will be taken from the shelf often.

Contents: Anatomy and Physiology of the Skin. Types of Skin Lesions. Principles of Therapy. Resistance to Infection. Mycobacterial Diseases. Bacterial Diseases. Fungal Diseases. Viral Diseases. Skin Disease Caused by Bites, Stings, and Infestations. Noninfectious Vesiculobullous Diseases. Inflammatory Vascular Diseases. Collagen-Vascular Diseases. Papulosquamous Diseases. Sclerotic and Atrophic Diseases. Granulomas and Lymphocytic Infiltrates. Eczematous Diseases. Hereditary Diseases of the Skin. Cutaneous Aspects of Systemic Diseases. Nevi. Benign Tumors. Generalized Cutaneous Malignancy. Diseases of the Sebaceous Glands; Hair Follicles; Apocrine and Eccrine Sweat Glands; Nails; and Lips and Mouth. Venereal Diseases. Other Diseases of the Genitalia. Tests and Techniques. Special Aspects of Dermatology in Black Patients. Index.

1977 / 271 pages / illustrated, including 111 color plates / \$19.50

**Williams
& Wilkins**



Dept. 182
428 East Preston Street
Baltimore, Maryland 21202

Name please type or print

address

city state zip

Please send me:

☐ Lynch & Epstein: BURCKHARDT'S ATLAS AND
MANUAL OF DERMATOLOGY AND VENEREOLOGY
(#1134-0) \$19.50

☐ check enclosed ☐ bill me

All books sent on 20-day approval.
Prices subject to change without notice.