

Contents

CELLULAR IMMUNOLOGY

- | | | |
|--|------|---|
| N. Amiryan, C. Vernet, and P. Machy | 1971 | Class I-Specific Antibodies Inhibit Proliferation in Primary but not Secondary Mouse T Cell Responses |
| C. N. Baxevanis, D. Thanos, G. J. Reclos, E. Anastasopoulos, G. C. Tsokos, J. Papa-matheakis, and M. Papamichail | 1979 | Prothymosin α Enhances Human and Murine MHC Class II Surface Antigen Expression and Messenger RNA Accumulation |
| N. K. Damle, K. Klussman, P. S. Linsley, and A. Aruffo | 1985 | Differential Costimulatory Effects of Adhesion Molecules B7, ICAM-1, LFA-3, and VCAM-1 on Resting and Antigen-Primed CD4 ⁺ T Lymphocytes |
| H. Fischer, A. Gjörlöf, G. Hedlund, H. Hedman, E. Lundgren, T. Kalland, H. O. Sjögren, and M. Dohlsten | 1993 | Stimulation of Human Naive and Memory T Helper Cells with Bacterial Superantigen: Naive CD4 ⁺ 45RA ⁺ T Cells Require a Costimulatory Signal Mediated through the LFA-1/ICAM-1 Pathway |
| M. L. Francis, J. Ryan, M. G. Jobling, R. K. Holmes, J. Moss, and J. J. Mond | 1999 | Cyclic AMP-Independent Effects of Cholera Toxin on B Cell Activation. II. Binding of Ganglioside G _{M1} Induces B Cell Activation |
| D. I. Godfrey, M. Masciantonio, C. L. Tucek, M. A. Malin, R. L. Boyd, and P. Hugo | 2006 | Thymic Shared Antigen-1: A Novel Thymocyte Marker Discriminating Immature from Mature Thymocyte Subsets |
| M. R. Gold, V. W.-F. Chan, C. W. Turck, and A. L. De-Franco | 2012 | Membrane Ig Cross-Linking Regulates Phosphatidylinositol 3-Kinase in B Lymphocytes |
| S. B. Kanner, N. K. Damle, J. Balke, A. Aruffo, and J. A. Ledbetter | 2023 | CD2/LFA-3 Ligation Induces Phospholipase-C γ 1 Tyrosine Phosphorylation and Regulates CD3 Signaling |
| J. Mega, J. R. McGhee, and H. Kiyono | 2030 | Cytokine- and Ig-Producing Cells in Mucosal Effector Tissues: Analysis of IL-5- and IFN- γ -Producing T Cells, T Cell Receptor Expression, and IgA Plasma Cells from Mouse Salivary Gland-Associated Tissues |
| B. Nag, H. G. Wada, K. S. Fok, D. J. Green, S. D. Sharma, B. R. Clark, J. W. Parce, and H. M. McConnell | 2040 | Antigen-Specific Stimulation of T Cell Extracellular Acidification by MHC Class II-Peptide Complexes |
| F. Spertini, T. Chatila, and R. S. Geha | 2045 | Engagement of MHC Class I Molecules Induces Cell Adhesion via Both LFA-1-Dependent and LFA-1-Independent Pathways |
| S. M. L. Tamma and R. F. Coico | 2050 | IgD-Receptor-Positive Human T Lymphocytes: II. Identification and Partial Characterization of Human IgD-Binding Factor |
| A. Tsicopoulos, Q. Hamid, V. Varney, S. Ying, R. Moqbel, S. R. Durham, and A. B. Kay | 2058 | Preferential Messenger RNA Expression of Th1-Type Cells (IFN- γ ⁺ , IL-2 ⁺) in Classical Delayed-Type (Tuberculin) Hypersensitivity Reactions in Human Skin |
| P. van Vlasselaer, J. Punnonen, and J. E. de Vries | 2062 | Transforming Growth Factor- β Directs IgA Switching in Human B Cells |

CLINICAL IMMUNOLOGY • IMMUNOPATHOLOGY

- | | | |
|-------------------------------|------|--|
| M. J. Caulfield and D. Stanko | 2068 | A Pathogenic Monoclonal Antibody, G8, Is Characteristic of Antierythrocyte Autoantibodies from Coombs'-Positive NZB Mice |
| J. A. James and J. B. Harley | 2074 | Linear Epitope Mapping of an Sm B/B' Polypeptide |

Continued on page 5

- N. Jonjic, P. Jilek, S. Bernasconi, G. Peri, I. Martin-Padura, S. Cenizales, E. Dejana, and A. Mantovani 2080 Molecules Involved in the Adhesion and Cytotoxicity of Activated Monocytes on Endothelial Cells
- T. Kotani, K. Umeki, S. Yagihashi, K. Hirai, and S. Ohtaki 2084 Identification of Thyroiditogenic Epitope on Porcine Thyroid Peroxidase for C57BL/6 Mice
- J.-Y. Leroux, A. R. Poole, C. Webber, V. Vipparti, H. U. Choi, L. C. Rosenberg, and S. Banerjee 2090 Characterization of Proteoglycan-Reactive T Cell Lines and Hybridomas from Mice with Proteoglycan-Induced Arthritis
- M. McDuffie, D. Schweiger, B. Reitz, A. Ostrowska, A. M. Knight, and P. J. Dyson 2097 I-E-Independent Deletion of V β 17a⁺ T Cells by Mtv-3 from the Nonobese Diabetic Mouse
- K. Terato, K. A. Hasty, R. A. Reife, M. A. Cremer, A. H. Kang, and J. M. Stuart 2103 Induction of Arthritis with Monoclonal Antibodies to Collagen
- A. D. Weinberg, R. Whitham, S. L. Swain, W. J. Morrison, G. Wyrick, C. Hoy, A. A. Vandenbark, and H. Offner 2109 Transforming Growth Factor- β Enhances the *in Vivo* Effector Function and Memory Phenotype of Antigen-Specific T Helper Cells in Experimental Autoimmune Encephalomyelitis
- H. L. Wong, M. T. Lotze, L. M. Wahl, and S. M. Wahl 2118 Administration of Recombinant IL-4 to Humans Regulates Gene Expression, Phenotype, and Function in Circulating Monocytes

CYTOKINES • MEDIATORS • REGULATORY MOLECULES

- O. R. Colamonici, L. M. Pfeffer, F. D'Alessandro, L. C. Platanias, S. A. Gregory, A. Rosolen, R. Nordan, R. A. Cruciani, and M. O. Diaz 2126 Multichain Structure of the IFN- α Receptor on Hematopoietic Cells
- L. E. Deforge, J. S. Kenney, M. L. Jones, J. S. Warren, and D. G. Remick 2133 Biphasic Production of IL-8 in Lipopolysaccharide (LPS)-Stimulated Human Whole Blood: Separation of LPS- and Cytokine-Stimulated Components Using Anti-Tumor Necrosis Factor and Anti-IL-1 Antibodies
- E. Maggi, P. Parronchi, R. Manetti, C. Simonelli, M.-P. Piccinini, F. S. Rugiu, M. de Carli, M. Ricci, and S. Romagnani 2142 Reciprocal Regulatory Effects of IFN- γ and IL-4 on the *in Vitro* Development of Human Th1 and Th2 Clones
- B. H. Rovin, T. Yoshimura, and L. Tan 2148 Cytokine-Induced Production of Monocyte Chemoattractant Protein-1 by Cultured Human Mesangial Cells
- T. Takeshita, K. Ohtani, H. Asao, S. Kumaki, M. Nakamura, and K. Sugamura 2154 An Associated Molecule, p64, with IL-2 Receptor β -Chain: Its Possible Involvement in the Formation of the Functional Intermediate-Affinity IL-2 Receptor Complex

IMMUNOCHEMISTRY

- T. L. Collins, S. Uniyal, J. Shin, J. L. Strominger, R. S. Mittler, and S. J. Burakoff 2159 p56^{lck} Association with CD4 is Required for the Interaction between CD4 and the TCR/CD3 Complex and for Optimal Antigen Stimulation
- T. Cotner 2163 Unassembled HLA-DR β Monomers Are Degraded Rapidly by a Nonlysosomal Mechanism
- P. E. Harris, Z. Liu, and N. Suci-Foca 2169 MHC Class II Binding of Peptides Derived from HLA-DR 1
- M. Honda, S. Yamamoto, M. Cheng, I. Yasukawa, H. Suzuki, T. Saito, Y. Osugi, T. Tokunaga, and T. Kishimoto 2175 Human Soluble IL-6 Receptor: Its Detection and Enhanced Release by HIV Infection
- J. Schöneich, V. L. Wilkinson, H. Kado-Fong, D. H. Presky, and J. P. Kochan 2181 Association of the Human Fc ϵ R γ Subunit with Novel Cell Surface Polypeptides

IMMUNOPHARMACOLOGY

- | | | |
|---|------|--|
| M. Aepfelbacher, H.-W. Loms, Ziegler-Heitbrock, I. Lux, and P. C. Weber | 2186 | Bacterial Lipopolysaccharide Up-Regulates Platelet-Activating Factor-Stimulated Ca^{2+} Mobilization and Eicosanoid Release in Human Mono MAC 6 Cells |
| T. P. Atkinson, M. A. Kaliner, and R. J. Hohman | 2194 | Phospholipase C- γ 1 Is Translocated to the Membrane of Rat Basophilic Leukemia Cells in Response to Aggregation of IgE Receptors |
| B. N. Cronstein, R. I. Levin, M. Philips, R. Hirschhorn, S. B. Abramson, and G. Weissmann | 2201 | Neutrophil Adherence to Endothelium Is Enhanced via Adenosine A_1 Receptors and Inhibited via Adenosine A_2 Receptors |
| V. A. Fadok, D. R. Voelker, P. A. Campbell, J. J. Cohen, D. L. Bratton, and P. M. Henson | 2207 | Exposure of Phosphatidylserine on the Surface of Apoptotic Lymphocytes Triggers Specific Recognition and Removal by Macrophages |
| Y. Fu and E. P. Blankenhorn | 2217 | Nitric Oxide-Induced Anti-Mitogenic Effects in High and Low Responder Rat Strains |
| O. Iliopoulos, F. M. Baroody, R. M. Naclerio, B. S. Bochner, A. Kagey-Sobotka, and L. M. Lichtenstein | 2223 | Histamine-Containing Cells Obtained from the Nose Hours after Antigen Challenge Have Functional and Phenotypic Characteristics of Basophils |
| M. V. Sanguedolce, C. Capo, P. Bongrand, and J.-L. Mege | 2229 | Zymosan-Stimulated Tumor Necrosis Factor- α Production by Human Monocytes: Down-Modulation by Phorbol Ester |
| P. R. Scholl, N. Trede, T. A. Chatila, and R. S. Geha | 2237 | Role of Protein Tyrosine Phosphorylation in Monokine Induction by the Staphylococcal Superantigen Toxic Shock Syndrome Toxin-1 |
| E. B. Stubbs, Jr., B. A. M. Walker, C. A. Owens, P. A. Ward, and B. W. Agranoff | 2242 | Formyl Peptide Stimulates and $\text{ATP}\gamma\text{S}$ Potentiates [^3H]Cytidine 5'-Diphosphate Diglyceride Accumulation in Human Neutrophils |

MICROBIAL IMMUNOLOGY

- | | | |
|--|------|--|
| K. R. Ashbridge, B. T. Bäckström, H.-X. Liu, T. Vikersfors, D. R. Englebrechtsen, D. R. K. Harding, and J. D. Watson | 2248 | Mapping of T Helper Cell Epitopes by Using Peptides Spanning the 19-kDa Protein of <i>Mycobacterium tuberculosis</i> : Evidence for Unique and Shared Epitopes in the Stimulation of Antibody and Delayed-Type Hypersensitivity Responses |
| E. Fikrig, S. W. Barthold, D. H. Persing, X. Sun, F. S. Kantor, and R. A. Flavell | 2256 | <i>Borrelia burgdorferi</i> Strain 25015: Characterization of Outer Surface Protein A and Vaccination against Infection |
| G. S. Henderson, X. Lu, T. L. McCurley, and D. G. Colley | 2261 | In Vivo Molecular Analysis of Lymphokines Involved in the Murine Immune Response during <i>Schistosoma mansoni</i> Infection. II. Quantification of IL-4 mRNA, IFN- γ mRNA, and IL-2 mRNA Levels in the Granulomatous Livers, Mesenteric Lymph Nodes, and Spleens during the Course of Modulation |
| A. Henke, C. Mohr, H. Sprenger, C. Graebner, A. Stelzner, M. Nain, and D. Gerns | 2270 | Coxsackievirus B3-Induced Production of Tumor Necrosis Factor- α , IL-1 β , and IL-6 in Human Monocytes |
| F. Manca | 2278 | Galactose Receptors and Presentation of HIV Envelope Glycoprotein to Specific Human T Cells |
| A. T. Vella and E. J. Pearce | 2283 | CD4^+ Th2 Response Induced by <i>Schistosoma mansoni</i> Eggs Develops Rapidly, through an Early, Transient, Th0-Like Stage |

MOLECULAR BIOLOGY • MOLECULAR GENETICS

- | | | |
|--|------|---|
| J.-F. Gauchat, H. Gascan, R. de Waal Malefyt, and J. E. de Vries | 2291 | Regulation of Germ-Line ϵ Transcription and Induction of ϵ Switching in Cloned EBV-Transformed and Malignant Human B Cell Lines by Cytokines and CD4^+ T Cells |
|--|------|---|

Continued from page 7

- A. Tugores, M. A. Alonso, F. 2300 Human T Cell Activation through the Activation-Inducer Molecule CD69
Sañchez-Madrid, and M. O. Enhances the Activity of Transcription Factor AP-1
de Landázuri

TUMOR IMMUNOLOGY

- B. S. Chadwick and R. G. Miller 2307 Hybrid Resistance in Vitro: Possible Role of Both Class I MHC and Self
Peptides in Determining the Level of Target Cell Sensitivity

Author Index

i