

THE JOURNAL OF IMMUNOLOGY

VIRUS-RESEARCH AND EXPERIMENTAL CHEMOTHERAPY

Manuscripts should be typewritten and carefully revised before submission and should be sent to Dr. Arthur F. Coca, Pearl River, New York. Authors will be charged for space in excess of 20 printed pages; also for all illustrations and for tabular matter in excess of 10 per cent of the text space.

THE JOURNAL OF IMMUNOLOGY is issued monthly. Three volumes a year are issued.

Twenty-five reprints, without covers, of articles will be furnished to contributors free of cost when ordered in advance. A table showing cost of reprints, with an order slip, is sent with proof. Orders for purchased reprints must be limited to 1,000 copies.

Published monthly, beginning January, 1929. (From 1916-1925, and in 1928 Volumes I-X, inclusive, and Vol. XV published bi-monthly).

The subscription price is \$5.00 per volume. For countries outside the Postal Union, add 50 cents a volume. Three volumes ordered at the same time, \$13.50; overseas, \$15.00. The subscriptions of members of the American Association of Immunologists are included in the membership dues and are handled by the Association's Treasurer, Dr. Arthur F. Coca, Pearl River, New York. All other subscriptions should be sent to the publishers.

Claims for copies lost in the mails must be received within 30 days (domestic). For the duration of the war, delivery overseas cannot be guaranteed and must be at subscriber's risk. Changes of address must be received within two weeks of the date of issue.

Correspondence concerning business matters should be addressed to The Williams & Wilkins Company, Mount Royal and Guilford Avenues, Baltimore-2, U. S. A.

New subscriptions and renewals are entered to begin with the first issue of the current volume. Should any issue of the current volume be out of print at the time the subscription order is received, the pro-rata value of such numbers will be credited to the next volume, and the renewal invoice therefore adjusted accordingly.

Subscriptions should be renewed promptly—To avoid a break in your series, subscriptions should be renewed promptly. The publishers cannot guarantee to supply back issues on belated renewals.

Subscriptions, new or renewal, should be sent to the Publishers or to Agents listed below.

AGENTS

For Australia: Angus & Robertson, Limited, 89-95 Castlereagh Street, Sydney.

For the British Empire, except Australia and Canada: Baillière, Tindall & Cox, 8 Henrietta St., Covent Garden, W C 2, London, England.

For Canada: Wm. Dawson & Sons, Ltd., 70 King Street East, Toronto.

THE WILLIAMS & WILKINS COMPANY

Publishers of Scientific Books and Periodicals

BALTIMORE-2, U. S. A.

PUBLISHERS OF: *Medicine, Journal of Urology, Journal of Pharmacology and Experimental Therapeutics, American Journal of Tropical Medicine, Journal of Immunology, Journal of Industrial Hygiene and Toxicology, Quarterly Review of Biology, Journal of Bacteriology, Chemical Reviews, Soil Science, Social Forces, Journal of Comparative Psychology, Occupational Therapy and Rehabilitation, The American Journal of Clinical Pathology, Journal of Physical Chemistry, Philosophy of Science, Journal of Organic Chemistry, Bacteriological Reviews, Human Fertility, Medical Care, Gastroenterology, The Journal of Investigative Dermatology.*



PEPTONES

For Culture Media

DIFCO peptones are excellent nutriments for pathogenic as well as non-pathogenic bacteria. Since no one peptone is suitable for the nutrition of all organisms, this group of nutriments is made available to meet the varied requirements of the most exacting types of bacteria.

BACTO-PEPTONE is most widely used in the preparation of routine culture media. It is rich in readily available forms of nitrogen, and in a one per cent solution it is sparklingly clear with a reaction of pH 7.0. Bacto-Peptone is specified in the formulae recommended in "Standard Methods of Water Analysis" of the American Public Health Association.

BACTO-TRYPTOSE is a peptone which was originally developed for cultivation of the *Brucella*. A two per cent solution, as the sole source of nitrogen, is an excellent substitute for the meat infusion generally employed for propagation of the *Streptococci*, *Pneumococci*, *Meningococci* and other discriminative bacteria.

PROTEOSE-PEPTONE is universally used in the preparation of media for elaboration of diphtheria toxin. It is also an excellent nutriment for use in media designed for the production of other bacterial toxins such as those of scarlet fever and botulinus.

PROTEOSE-PEPTONE NO. 3 is particularly suitable for use in culture media employed for isolation and propagation of *Neisseria gonorrhoeae* and *Corynebacterium diphtheriae*.

NEOPEPTONE is especially recommended as an ingredient of culture media for isolation and study of *Streptococci* and *Pneumococci*. Media prepared with Neopeptone are most satisfactory for cultivation of *Streptococci* in the smooth or mucoid phase. Growth of organisms from relatively small inocula is readily initiated in media containing this peptone.

BACTO-TRYPTONE is especially adapted for the elaboration of Indol and for use in media to detect Hydrogen Sulfide production. This peptone is recommended in "Standard Methods for the Examination of Dairy Products" of the American Public Health Association for the medium used in milk counts.

Specify "Difco"

THE TRADE NAME OF THE PIONEERS

In the Research and Development of Bacto-Peptone and Dehydrated Culture Media

DIFCO LABORATORIES

INCORPORATED

DETROIT 1, MICHIGAN