

INDEX

- Acridines. II. Observations on the mode of action of, in inhibiting lysis of virus-infected bacteria. Studies on bacterial viruses, 127
- Action of penicillin on staphylococci, 281
- Adrenal, the enhancement of circulating antibody concentration by, cortical hormones, 101
- Agglutinogenic, protection between strains of heterologous, types of beta hemolytic streptococci of group A. III. Further observations, 1
- A₁ Values and the avidities of tetanal toxins for nerve tissue and antitoxin, the. VI. Quantitative studies on the neutralization of pathogenic agents in tissues by circulating antibodies, 247
- Alexander, Hattie E. (joint author) with Catherine F. C. MacPherson, Michael Heidelberger, and Grace Leidy. The specific polysaccharides of types A, B, C, D and F *Hemophilus influenzae*, 207
- Allergens, the immunochemistry of. VIII. precepsin formation and passive transfer reactions with allergenic proteins from cottonseed and castor beans, 259
- Alum-precipitated toxoid, the preparation of a potent toxin of *Shigella dysenteriae* (Shiga) on a semi-synthetic medium and its use for the preparation of an, 293
- Anaphylactic and peptone shock, the behavior of platelets in, 315
- shock, the use of papaverine hydrochloride in the prevention of, in guinea pigs, 59
- Anaphylaxis, passive, in the guinea-pig, and the effects of immunization with histamine azoprotein on histamine-intoxication, 201
- Antibody concentration, the enhancement of circulating, by adrenal cortical hormones, 101
- formation, the duration of, after injection of killed typhoid bacilli in water-in-oil emulsion, 231
- production, the relationship of the protein-reserves to. II. The influence of protein repletion upon the production of antibody in hypoproteinemic adult white rats, 267
- Antigen-antibody reaction, studies on the reversibility of the. I. Correlation between the effects of homologous polysaccharide on capsular swelling and infectivity of sensitized pneumococci, 301
- Antigenic relationships of the West Nile, Japanese B encephalitis, and St. Louis encephalitis viruses, 235
- Antisera, the comparison of rabbit and mouse, to *Shigella paradysenteriae*, 113
- Aptekman, Paul Myron, Margaret Reed Lewis and Helen Dean King. A method of producing in inbred albino rats a high percentage of immunity from tumors native in their strain, 77
- Avidities, the A₁ values and the, of tetanal toxins for nerve tissue and antitoxin. VI. Quantitative studies on the neutralization of pathogenic agents in tissues by circulating antibodies, 247
- Babbitt, Dorothea (joint author) with Robert J. Fitzgerald. Studies on bacterial viruses. I. The effect of certain compounds on the lysis of *Escherichia coli* by bacteriophage, 121
- Bacteriophage, studies on bacterial viruses. I. The effect of certain compounds on the lysis of *Escherichia coli* by, 121
- Behavior of platelets in anaphylactic and peptone shock, 315
- Bichowsky, Leah (joint author) with Leo Olitzki. The preparation of a potent toxin of *Shigella dysenteriae* (Shiga) on a semi-synthetic medium and its use for the preparation of an alum-precipitated toxoid, 293
- Blair, John E., Miriam Carr and Joseph Buchman. The action of penicillin on staphylococci, 281
- Bonanto, Mary V. (joint author) with Jules Freund. The duration of antibody-formation after injection of killed typhoid bacilli in water-in-oil emulsion, 231
- Boyd, William C., and Estelle R. Warshaver. Decreased antigenicity of coupled hapten-protein antigen resulting from treatment with too much hapten, 97

- Braun, Werner. Changes of the serum phosphatase level after infection of cows with *Brucella abortus*, 137
- Brown, Rachel. The standardization of the cardiolipinlecithin-cholesterol antigen in the precipitation test for syphilis, 17
- Brucella abortus*, changes of the serum phosphatase level after infection of cows with, 137
- Buchman, Joseph (joint author) with John E. Blair and Miriam Carr. The action of penicillin on staphylococci, 281
- Cannon, Paul R. (joint author) with Robert W. Wissler, Robert L. Woolridge, C. Harold Steffee, Jr. The relationship of the protein-reserves to antibody-production. II. The influence of protein repletion upon the production of antibody in hypoproteinemic adult white rats, 267
- Cardiolipinlecithin-cholesterol antigen, the standardization of the, in the precipitation test for syphilis, 17
- Carr, Miriam (joint author) with John E. Blair and Joseph Buchman. The action of penicillin on staphylococci, 281
- Castor beans, precipitin formation and passive transfer reactions with allergenic proteins from cottonseed and, VIII. The immunochemistry of allergens, 259
- Changes of the serum phosphatase level after infection of cows with *Brucella abortus*, 137
- Chase, Jeanne H., Abraham White and Thomas F. Dougherty. The enhancement of circulating antibody concentration by adrenal cortical hormones, 101
- Chick embryo, propagation of Japanese B encephalitis virus in the developing, 171 embryos, propagation of the virus in developing, III. Semliki forest virus, 309
- Chickens, precipitin-production in. II. Studies on the in vitro rise of the interfacial titer and the formation of precipitins, 221
- Coffin, Grange S., and Elvin A. Kabat. The effects of immunization with histamine azoprotein on histamine-intoxication and passive anaphylaxis in the guinea-pig, 201
- Comparative sensitivity of the extraneural and intracerebral neutralization tests in following the antibody response in man to vaccination with Western equine encephalomyelitis virus, 343
- Comparison of rabbit and mouse antisera to *Shigella paradysenteriae*, 113
- Cottonseed, precipitin formation and passive transfer reactions with allergenic proteins from, and castor beans. VIII. The immunochemistry of allergens, 259
- Coulson, E. J., Joseph R. Spies, E. F. Jansen and Henry Stevens. The immunochemistry of allergens. VIII. Precipitin formation and passive transfer reactions with allergenic proteins from cottonseed and castor beans, 259.
- Coupled hapten-protein antigen, decreased antigenicity of, resulting from treatment with too much hapten, 97
- Cows, changes of the serum phosphatase level after infection of, with *Brucella abortus*, 137
- Cox, Herald R. (joint author) with Hilary Koprowski. Propagation of Japanese B encephalitis virus in the developing chick embryo, 171
- Decreased antigenicity of coupled-hapten-protein antigen resulting from treatment with too much hapten, 97
- Demarest, Constance R. (joint author) with Michael Heidelberger and Manfred M. Mayer. Studies in human malaria. I. The preparation of vaccines and suspensions containing plasmodia, 325
- Dilks, Eleanor (joint author) with Harold R. Wolfe. Precipitin-production in chickens. II. Studies on the in vitro rise of the interfacial titer and the formation of precipitins, 221
- Doak, Beatrice W., Seymour P. Halbert, Joseph Smolens and Stuart Mudd. Comparison of rabbit and mouse antisera to *Shigella paradysenteriae*, 113 (joint author) with Joseph Smolens, Seymour P. Halbert, Stuart Mudd and Luis M. Gonzalez. Studies with the somatic antigen of *Shigella paradysenteriae* (Flexner), 41
- Dougherty, Thomas F. (joint author) with Jeanne H. Chase, Abraham White. The enhancement of circulating antibody concentration by adrenal cortical hormones, 101

- Duration of antibody-formation after injection of killed typhoid bacilli in water-in-oil emulsion, 231
- Effects of immunization with histamine azoprotein on histamine-intoxication and passive anaphylaxis in the guinea pig, 201
- Encephalitis virus, propagation of Japanese B, in the developing chick embryo, 171
- Encephalomyelitis virus, comparative sensitivity of the extraneural and intracerebral neutralization tests in following the antibody response in man to vaccination with Western equine, 343
- Enhancement of circulating antibody concentration by adrenal cortical hormones, 101
- Equine encephalomyelitis virus, comparative sensitivity of the extraneural and intracerebral neutralization tests in following the antibody response in man to vaccination with western, 343
- Evans, Alice C. Protection between strains of heterologous agglutinogenic types of beta hemolytic streptococci of group A. III. Further observations, 1
- Experimental exposure of human subjects to viruses of influenza, 145
- Farsetta, K. (joint author) with A. J. Weil. *Shigella paradysenteriae* (Flexner) Type II.VII, 167
(joint author) with A. J. Weil and V. Knaub. The phase variation of *Shigella paradysenteriae*, 221
- Fidlar, E., and E. T. Waters. The behavior of platelets in anaphylactic and peptone shock, 315
- Fitzgerald, Robert J., and Dorothea Babbitt. Studies on bacterial viruses. I. The effect of certain compounds on the lysis of *Escherichia coli* by bacteriophage, 121
and Miriam E. Lee. Studies on bacterial viruses. II. Observations on the mode of action of acridines in inhibiting lysis of virus-infected bacteria, 127
- Frank, D. Edward. The use of papaverine hydrochloride in the prevention of anaphylactic shock in guinea pigs, 59
- Freund, Jules, and Mary V. Bonanto. The duration of antibody-formation after injection of killed typhoid bacilli in water-in-oil emulsion, 231
- Friedemann, Ulrich, Alvin Hollander and Frederick B. Traub. Quantitative studies on the neutralization of pathogenic agents in tissues by circulating antibodies. VI. The A_1 values and the avidities of tetanal toxins for nerve tissue and antitoxin, 247
- Glenn, John C., Jr. Studies on the effects of x-rays on phagocytic indices of healthy rabbits. A preliminary report, 65
- Gonzalez, Luis M. (joint author) with Joseph Smolens, Seymour P. Halbert, Stuart Mudd, and Beatrice W. Doak. Studies with the somatic antigen of *Shigella paradysenteriae* (Flexner), 41
- Halbert, Seymour P. (joint author) with Beatrice W. Doak, Joseph Smolens and Stuart Mudd. The comparison of rabbit and mouse antisera to *Shigella paradysenteriae*, 113
(joint author) with Joseph Smolens, Stuart Mudd, Beatrice W. Doak and Luis M. Gonzalez. Studies with the somatic antigen of *Shigella paradysenteriae* (Flexner), 41
- Hapten, decreased antigenicity of coupled hapten-protein antigen resulting from treatment with too much, 97
- Heidelberger, Michael (joint author) with Catherine F. C. MacPherson, Hattie E. Alexander and Grace Leidy. The specific polysaccharides of types A, B, C, D and F *Hemophilus influenzae*, 207
- Manfred M. Mayer and Constance R. Demarest. Studies in human malaria. I. The preparation of vaccines and suspensions containing plasmodia, 325
- Hemophilus influenzae*, the specific polysaccharides of types A, B, C, D and F, 207
- Henle, Gertrude (joint author) with Werner Henle, Joseph Stokes, Jr., and Elizabeth P. Maris. Experimental exposure of human subjects to viruses of influenza, 145
- Henle, Werner, Gertrude Henle, Joseph Stokes, Jr., and Elizabeth P. Maris. Experimental exposure of human subjects to viruses of influenza, 145

- Histamine azoprotein, the effects of immunization with, on histamine-intoxication and passive anaphylaxis in the guinea-pig, 201**
- Hollander, Alvin (joint author) with Ulrich Friedemann, and Frederick B. Traub. Quantitative studies on the neutralization of pathogenic agents in tissues by circulating antibodies. VI. The A_i values and the avidities of tetanal toxins for nerve tissue and antitoxin, 247**
- Hormones, the enhancement of circulating antibody concentration by adrenal cortical, 101**
- Immunochemistry of allergens. VIII. Precipitin formation and passive transfer reactions with allergenic proteins from cottonseed and castor beans, 259**
- Inbred albino rats, a method of producing in, a high percentage of immunity from tumors native in their strain, 77**
- Influenza, experimental exposure of human subjects to viruses of, 145**
- Jansen, E. F. (joint author) with E. J. Coulson, Joseph R. Spies and Henry Stevens. The immunochemistry of allergens. VIII. Precipitin formation and passive transfer reactions with allergenic proteins from cottonseed and castor beans, 259**
- Japanese B encephalitis, and St. Louis encephalitis viruses, antigenic relationships of the west Nile, 235**
Encephalitis virus, propagation of, in the developing chick embryo, 171
- Kabat, Elvin A. (joint author) with Grange S. Coffin. The effects of immunization with histamine azoprotein on histamine-intoxication and passive anaphylaxis in the guinea-pig, 201**
- Karr, Helen V. (joint author) with Marion C. Morris. Studies on the reversibility of the antigen-antibody reaction. I. Correlation between the effects of homologous polysaccharide on capsular swelling and infectivity of sensitized pneumococci, 301**
- King, Helen Dean (joint author) with Paul Myron Aptekman and Margaret Reed Lewis. A method of producing in inbred albino rats a high percentage of immunity from tumors native in their strain, 77**
- Knaub, V. (joint author) with A. J. Weil and K. Farsetta. The phase variation of *Shigella paradysenteriae*, 221**
- Koprowski, Hilary (joint author) with Edwin H. Lennette. Antigenic relationships of the west Nile, Japanese B encephalitis, and St. Louis encephalitis viruses, 235**
and Herald R. Cox. Propagation of Japanese B encephalitis virus in the developing chick embryo, 171
(joint author) with Edwin H. Lennette. Comparative sensitivity of the extraneural and intracerebral neutralization tests in following the antibody response in man to vaccination with Western equine encephalomyelitis virus, 343
- Lee, Miriam E. (joint author) with Robert J. Fitzgerald. Studies on bacterial viruses. II. Observations on the mode of action of acridines in inhibiting lysis of virus-infected bacteria, 127**
- Leidy, Grace (joint author) with Catherine F. C. MacPherson, Michael Heidelberg, and Hattie E. Alexander. The specific polysaccharides of Types A, B, C, D and F *Hemophilus influenzae*, 207**
- Lennette, Edwin H., and Hilary Koprowski. Antigenic relationships of the West Nile, Japanese B encephalitis, and St. Louis encephalitis viruses, 235**
and Hilary Koprowski. Comparative sensitivity of the extraneural and intracerebral neutralization tests in following the antibody response in man to vaccination with Western equine encephalomyelitis virus, 343
- Leukoagglutination differentiation of normal leukocytic and leukemic cell-types, 71**
- Lewis, Margaret Reed (joint author) with Paul Myron Aptekman, and Helen Dean King. A method of producing in inbred albino rats a high percentage of immunity from tumors native in their strain, 77**
- MacPherson, Catherine F. C., Michael Heidelberg, Hattie E. Alexander and Grace Leidy. The specific polysaccharides of Types A, B, C, D and F *Hemophilus influenzae*, 207**

- Malaria, studies in human.** I. The preparation of vaccines and suspensions containing plasmodia, 325
- Maris, Elizabeth P.** (joint author) with Werner Henle, Gertrude Henle and Joseph Stokes, Jr. Experimental exposure of human subjects to viruses of influenza, 145
- Martin, Ruth A.** (joint author) with Bernhard Steinberg, M.D. Leukoagglutination differentiation of normal leukocytic and leukemic cell-types, 71
- Mayer, Manfred M.** (joint author) with Michael Heidelberger and Constance R. Demarest. Studies in human malaria. I. The preparation of vaccines and suspensions containing plasmodia, 325
- Method of producing in inbred albino rats** a high percentage of immunity from tumors native in their strain, 77
- Morris, Marion C., and Helen V. Karr.** Studies on the reversibility of the antigen-antibody reaction. I. Correlation between the effects of homologous polysaccharide on capsular swelling and infectivity of sensitized pneumococci, 301
- Mudd, Stuart** (joint author) with Beatrice W. Doak, Seymour P. Halbert and Joseph Smolens. The comparison of rabbit and mouse antisera to *Shigella paradysenteriae*, 113
(joint author) with Joseph Smolens, Seymour P. Halbert, Beatrice W. Doak and Luis M. Gonzalez. Studies with the somatic antigen of *Shigella paradysenteriae* (Flexner), 41
- Olitzki, Leo, and Leah Bichowsky.** The preparation of a potent toxin of *Shigella dysenteriae* (Shiga) on a semi-synthetic medium and its use for the preparation of an alum-precipitated toxoid, 293
- Papaverine hydrochloride, the use of, in the prevention of anaphylactic shock in guinea pigs, 59**
- Penicillin, the action of, on staphylococci, 281**
- Peptone shock, the behavior of platelets in anaphylactic and, 315**
- Phagocytic, studies on the effects of x-rays on, indices of healthy rabbits. A preliminary report, 65**
- Phase, the, variation of *Shigella paradysenteriae* (Flexner) Type IV, 221**
- Phosphatase, changes of the serum, level after infection of cows with *Brucella abortus*, 137**
- Plasmodia. The preparation of vaccines and suspensions containing. I. Studies in human malaria, 325**
- Platelets, the behavior of, in anaphylactic and peptone shock, 315**
- Pneumococci, correlation between the effects of homologous polysaccharide on capsular swelling and infectivity of sensitized. I. Studies on the reversibility of the antigen-antibody reaction, 301**
- Polysaccharides, the specific, of types A, B, C, D, and F *Hemophilus influenzae*, 207**
- Precipitation test for syphilis, the standardization of the cardiolipinlecithin-cholesterol antigen in the, 17**
- Precipitin-production in chickens. II. Studies on the in vitro rise of the interfacial titer and the formation of precipitins, 221**
-reactions of human seminal plasma, 87
- Preparation of a potent toxin of *Shigella dysenteriae* (Shiga) on a semi-synthetic medium and its use for the preparation of an alum-precipitated toxoid, 293**
- Propagation of Japanese B encephalitis virus in the developing chick embryo, 171**
- Protection between strains of heterologous agglutinogenic types of beta hemolytic streptococci of group A. III. Further observations, 1**
- Protein-reserves, the relationship of the, to antibody-production. II. The influence of protein repletion upon the production of antibody in hypoproteinemic adult white rats, 267**
- Quantitative studies on the neutralization of pathogenic agents in tissues by circulating antibodies. VI. The A_1 values and the avidities of tetanal toxins for nerve tissue and antitoxin, 247**
- Rats, a method of producing in inbred albino, a high percentage of immunity from tumors native in their strain, 77**

- Relationship of the protein-reserves to antibody-production. II. The influence of protein repletion upon the production of antibody in hypoproteinemic adult white rats, 267
- Reversibility, studies on the, of the antigen-antibody reaction. I. Correlation between the effects of homologous polysaccharide on capsular swelling and infectivity of sensitized pneumococci, 301
- Ross, Victor. Precipitin-reactions of human seminal plasma, 87
- St. Louis encephalitis viruses, antigenic relationships of the West Nile, Japanese B encephalitis, and 235
- Seminal, human, plasma, precipitin-reactions of, 87
- Semliki forest virus. III. Propagation of the virus in developing chick embryos, 309
- Shigella dysenteriae* (Shiga), the preparation of a potent toxin of, on a semi-synthetic medium and its use for the preparation of an alum-precipitated toxoid, 293
- paradysenteriae* (Flexner) Type II.VII, 167
- paradysenteriae*, the phase variation of, (Flexner) Type IV, 221
- paradysenteriae*, the comparison of rabbit and mouse antisera to, 113
- paradysenteriae*, studies with the somatic antigen of (Flexner), 41
- Smithburn, K. C. Semliki forest virus. III. Propagation of the virus in developing chick embryos, 309
- Smolens, Joseph (joint author) with Beatrice W. Doak, Seymour P. Halbert and Stuart Mudd. The comparison of rabbit and mouse antisera to *Shigella paradysenteriae*, 113
- Seymour P. Halbert, Stuart Mudd, Beatrice W. Doak and Luis M. Gonzalez. Studies with the somatic antigen of *Shigella paradysenteriae* (Flexner), 41
- Somatic antigen, studies with the, of *Shigella paradysenteriae* (Flexner), 41
- Specific polysaccharides of Types A, B, C, D, and F *Hemophilus influenzae*, 207
- Spies, Joseph R. (joint author) with E. J. Coulson, E. F. Jansen and Henry Stevens. The immunochemistry of allergens. VIII. Precipitin formation and passive transfer reactions with allergenic proteins from cottonseed and castor beans, 259
- Standardization of the cardiolipinlecithin-cholesterol antigen in the precipitation test for syphilis, 17
- Staphylococci, the action of penicillin on, 281
- Steffee, C. Harold, Jr. (joint author) with Robert W. Wissle, Robert L. Woolridge, and Paul R. Cannon. The relationship of the protein-reserves to antibody-production. II. The influence of protein repletion upon the production of antibody in hypoproteinemic adult white rats, 267
- Steinberg, Bernhard, M.D., and Ruth A. Martin. Leukoagglutination differentiation of normal leukocytic and leukemic cell-types, 71
- Stevens, Henry (joint author) with E. J. Coulson, Joseph R. Spies and E. F. Jansen. The immunochemistry of allergens. VIII. Precipitin formation and passive transfer reactions with allergenic proteins from cottonseed and castor beans, 259
- Stokes, Joseph, Jr. (joint author) with Werner Henle, Gertrude Henle and Elizabeth P. Maris. Experimental exposure of human subjects to viruses of influenza, 145
- Streptococci, protection between strains of heterologous agglutinogenic types of beta hemolytic, of group A. III. Further observations, 1
- Studies in human malaria. I. The preparation of vaccines and suspensions containing plasmodia, 325
- Studies on bacterial viruses. I. The effect of certain compounds on the lysis of *Escherichia coli* by bacteriophage, 121
- II. Observations on the mode of action of acridines in inhibiting lysis of virus-infected bacteria, 127
- Studies on the effects of x-rays on phagocytic indices of healthy rabbits. A preliminary report, 65
- Studies on the reversibility of the antigen-antibody reaction. I. Correlation between the effects of homologous polysaccharide on capsular swelling and infectivity of sensitized pneumococci, 301

- Studies with the somatic antigen of *Shigella paradysenteriae* (Flexner), 41
- Syphilis, the standardization of the cardiolipinlecithin-cholesterol antigen in the precipitation test for, 17
- Tetanal, the A_1 values and the avidities of, toxins for nerve tissue and antitoxin. VI. Quantitative studies on the neutralization of pathogenic agents in tissues by circulating antibodies, 247
- Toxin, the preparation of a potent, of *Shigella dysenteriae* (Shiga) on a semi-synthetic medium and its use for the preparation of an alum-precipitated toxoid, 293
- Toxins, the A_1 values and the avidities of tetanal, for nerve tissue and antitoxin. VI. Quantitative studies on the neutralization of pathogenic agents in tissues by circulating antibodies, 247
- Traub, Frederick B. (joint author) with Ulrich Friedemann, and Alvin Hollander. Quantitative studies on the neutralization of pathogenic agents in tissues by circulating antibodies. VI. The A_1 values and the avidities of tetanal toxins for nerve tissue and antitoxin, 247
- Tumors, a method of producing in inbred albino rats a high percentage of immunity from, native in their strain, 77
- Typhoid, the duration of antibody-formation after injection of killed, bacilli in water-in-oil emulsion, 231
- Use of papaverine hydrochloride in the prevention of anaphylactic shock in guinea pigs, 59
- Virus, comparative sensitivity of the extraneural and intracerebral neutralization tests in following the antibody response in man to vaccination with Western equine encephalomyelitis virus, 343
- Propagation of Japanese B encephalitis, in the developing chick embryo, 171
- Semliki forest. III. Propagation of the virus in developing chick embryos, 309
- Viruses of influenza, experimental exposure of human subjects to, 145
- St. Louis encephalitis, antigenic relationships of the West Nile, Japanese B encephalitis, and, 235
- Studies on bacterial. I. The effect of certain compounds on the lysis of *Escherichia coli* by bacteriophage, 121
- Studies on bacterial. II. Observations on the mode of action of acridines in inhibiting lysis of virus-infected bacteria, 127
- Warshaver, Estelle R. (joint author) with William C. Boyd. Decreased antigenicity of coupled hapten-protein antigen resulting from treatment with too much hapten, 97
- Water-in-oil emulsion, the duration of antibody-formation after injection of killed typhoid bacilli in, 231
- Waters, E. T. (joint author) with E. Fidler. The behavior of platelets in anaphylactic and peptone shock, 315
- Weil, A. J., and K. Farsetta. *Shigella paradysenteriae* (Flexner) Type II.VII, 167
- K. Farsetta and V. Knaub. The phase variation of *Shigella paradysenteriae*, 221
- West Nile, antigenic relationships of the, Japanese B encephalitis, and St. Louis encephalitis viruses, 235
- White, Abraham (joint author) with Jeanne H. Chase, and Thomas F. Dougherty. The enhancement of circulating antibody concentration by adrenal cortical hormones, 101
- Wissler, Robert W., Robert L. Woolridge, C. Harold Steffee, Jr., and Paul R. Cannon. The relationship of the protein-reserves to antibody-production. II. The influence of protein repletion upon the production of antibody in hypoproteinemic adult white rats, 267
- Wolfe, Harold R., and Eleanor Dilks. Precipitin-production in chickens. II. Studies on the in vitro rise of the interfacial titer and the formation of precipitins, 221
- Woolridge, Robert L., (joint author) with Robert W. Wissler, C. Harold Steffee, Jr., and Paul R. Cannon. The relationship of the protein-reserves to antibody-production. II. The influence of protein repletion upon the production of antibody in hypoproteinemic adult white rats, 267
- X-rays, studies on the effects of, on phagocytic indices of healthy rabbits. A preliminary report, 65

THE JOURNAL OF IMMUNOLOGY

VIRUS-RESEARCH AND EXPERIMENTAL CHEMOTHERAPY

Manuscripts should be typewritten and carefully revised before submission and should be sent to Dr. Arthur F. Coca, Pearl River, New York. Authors will be charged for space in excess of 20 printed pages; also for all illustrations and for tabular matter in excess of 10 per cent of the text space.

THE JOURNAL OF IMMUNOLOGY is issued monthly. Three volumes a year are issued.

Twenty-five reprints, without covers, of articles will be furnished to contributors free of cost when ordered in advance. A table showing cost of reprints, with an order slip, is sent with proof. Orders for purchased reprints must be limited to 1,000 copies.

Published monthly, beginning January, 1929. (From 1916-1925, and in 1928 Volumes I-X, inclusive, and Vol. XV published bi-monthly).

The subscription price is \$5.00 per volume. For countries outside the Postal Union, add 50 cents a volume. Three volumes ordered at the same time, \$13.50; overseas, \$15.00. The subscriptions of members of the American Association of Immunologists are included in the membership dues and are handled by the Association's Treasurer, Dr. Arthur F. Coca, Pearl River, New York. All other subscriptions should be sent to the publishers.

Claims for copies lost in the mails must be received within 30 days (domestic). For the duration of the war, delivery overseas cannot be guaranteed and must be at subscriber's risk. Changes of address must be received within two weeks of the date of issue.

Correspondence concerning business matters should be addressed to The Williams & Wilkins Company, Mount Royal and Guilford Avenues, Baltimore-2, U. S. A.

New subscriptions and renewals are entered to begin with the first issue of the current volume. Should any issue of the current volume be out of print at the time the subscription order is received, the pro-rata value of such numbers will be credited to the next volume, and the renewal invoice therefore adjusted accordingly.

Subscriptions should be renewed promptly—To avoid a break in your series, subscriptions should be renewed promptly. The publishers cannot guarantee to supply back issues on belated renewals.

Subscriptions, new or renewal, should be sent to the Publishers or to Agents listed below.

AGENTS

For Australia: Angus & Robertson, Limited, 89-95 Castlereagh Street, Sydney.

For the British Empire, except Australia and Canada: Baillière, Tindall & Cox, 8 Henrietta St., Covent Garden, W C 2, London, England.

For Canada: Wm. Dawson & Sons, Ltd., 70 King Street East, Toronto.

THE WILLIAMS & WILKINS COMPANY

Publishers of Scientific Books and Periodicals

BALTIMORE-2, U. S. A.

PUBLISHERS OF: *Medicine, Journal of Urology, Journal of Pharmacology and Experimental Therapeutics, American Journal of Tropical Medicine, Journal of Immunology, Journal of Industrial Hygiene and Toxicology, Quarterly Review of Biology, Journal of Bacteriology, Chemical Reviews, Soil Science, Social Forces, Journal of Comparative Psychology, Occupational Therapy and Rehabilitation, The American Journal of Clinical Pathology, Journal of Physical Chemistry, Philosophy of Science, Journal of Organic Chemistry, Bacteriological Reviews, Human Fertility, Medical Care, Gastroenterology, The Journal of Investigative Dermatology.*



Isolation and Cultivation of BRUCELLA

Preliminary Enrichment

Isolation of Brucella strains from blood specimens is best accomplished by preliminary enrichment of the sample in medium prepared from Bacto-Tryptose Broth. For isolation from samples of infected milk no enrichment is required.

Isolation of Strains

After enrichment the blood specimens are streaked on plates of Bacto-Tryptose Agar and the plates are incubated at 37°C. Milk samples are streaked on plates of Bacto-Tryptose Agar prepared with crystal violet to inhibit the streptococci and other Gram-positive organisms.

Differentiation of Types

Bacto-Tryptose Agar to which thionin or basic fuchsin has been added is recommended for the differentiation of newly isolated strains of Brucella.

Mass Cultivation

Bacto-Tryptose Agar, prepared without addition of dyes or other ingredients, supports luxuriant growth of all Brucella. It is an excellent medium for mass cultivation of the organisms for preparation of bacterial vaccines or antigens.

Specify "Difco"

THE TRADE NAME OF THE PIONEERS

In the Research and Development of Bacto-Peptone and Dehydrated Culture Media

DIFCO LABORATORIES

INCORPORATED
DETROIT 1, MICHIGAN